

Section Details : Direct Set, 4 9/16" Jamb, Contemporary Section Details : Direct Set, 6 9/16" Jamb, Contemporary

Section Details : Mull Sections
Section Details : Sill Options
Section Details : Frame Options


Section Details : Exterior Trim Options Section Details : Nailfin Options




Section Details : C2 Frame, 4 9/16" Jambs


SCALE: 3" = 1'-0"

Direct Glaze Square Detail





Head & Sill Jambs







Section Details : C2 Frame, 6 9/16" Jambs

SCALE: 3" = 1'-0"


Direct Glaze Square Detail





Head & Sill

Jambs





Standard T-Mull



Section Details : Mull Sections


SCALE: 3" = 1'-0"






Standard Vertical T-Mull

Standard Horizontal T-Mull



4" Spread Mull




4" Space Mull





Section Details : Sill Options

SCALE: 3'' = 1'-0''



Standard (No Sub Sill)






True Subsill (2816)




Section Details : Frame Options

SCALE: 3" = 1'-0"

Standard C2




C2 Modified







Section Details : Exterior Trim Options


SCALE: 3" = 1'-0"




Brickmold Casing









1 x 4 Casing w/ Backband 1 x 5 Casing w/ Backband 1 x 6 Casing w/ Backband







 $5/4 \times 4$  Casing


 $5/4 \times 5$  Casing

 $5/4 \times 6$  Casing




Section Details : Nail Fin Options

SCALE: 3" = 1'-0"



Flush Fin



1 3/8 Setback Nail Fin\*
\*Not compatible with brickmold or subsills

